# ATLANTA ARTCC AND JACKSONVILLE ARTCC LETTER OF AGREEMENT

SUBJECT: INTERFACILITY COORDINATION EFFECTIVE: 19 May, 2022

- 1. **PURPOSE:** This agreement establishes coordination procedures and defines delegation of airspace between VATUSA Jacksonville ARTCC (ZJX) and VATUSA Atlanta ARTCC (ZTL). This agreement is supplemental to procedures contained within FAA Order 7110.65.
- **2. DISCLAIMER:** Information contained herein is designed specifically for use in a virtual air traffic control environment. It is not applicable, nor should it be referenced for live operations in the National Airspace System (NAS).
- 3. CANCELLATION: ZTL and ZJX Letter of Agreement dated September 1, 2021.

### 4. RESPONSIBILITIES:

- a. ZTL delegates to ZJX the responsibility for the control of IFR aircraft within the area depicted in Attachment A (Delegation of Airspace).
- b. ZTL shall advise ZJX of the configurations of both ATL and CLT when both ARTCCs become operational.

## 5. GENERAL PROCEDURES:

- a. The receiving ARTCC has control for beacon code changes.
- b. Each ARTCC shall route/restrict aircraft in accordance with Attachment B (Route Restrictions).
- c. Active sectors will be communicated by referencing sector ID or frequency, not callsign.
- d. Each facility has control for turns up to 15 degrees within 15NM of the shared boundary, except as defined in Attachment B (Route Restrictions).
- e. Aircraft with any of the following points in their route shall not be cleared beyond them without coordination: IISLY, ZJAYX, ISSZZ, THRTL, CABLO, BULZI, SHRKS, ENEME. Aircraft over ZJAYX shall be AOB FL410.
- f. Aircraft on Q75, Q103, Q83, or Q69 shall not be cleared beyond FISHO, GRONK, JUSEE, or RYCKI without coordination.
- g. When advised of TBM (<u>tmu.vatsim.net</u>) operations at CLT, ZJX must deliver aircraft to CLT within +/- 1 minute of assigned slot time.
- h. Controllers shall amend a descending aircraft's final (cruise) altitude to the lowest altitude cleared.


#### 6. PREARRANGED COORDINATION:


- a. For aircraft on the JJEDI/SITTH or WRGNZ arrivals from ZJX50 HIGH:
  - i. ZJX50 HIGH shall initiate a handoff to ZTL23 ULTRA HIGH.
  - ii. ZTL23 ULTRA HIGH shall immediately initiate a handoff to ZTL20 HIGH.
  - iii. When ZJX observes that ZTL20 HIGH has accepted the handoff, ZJX will transfer communications directly to ZTL20 HIGH.
  - iv. If ZTL20 HIGH does not accept the handoff by the ZTL/ZJX border, ZJX will transfer communications to ZTL23 ULTRA HIGH.
- b. For aircraft arriving JAX on the OHDEA arrival DUCHY transition:
  - i. ZTL22 HIGH shall initiate a handoff to ZJX50 HIGH.
  - ii. ZJX50 HIGH shall immediately initiate a handoff to ZJX13 LOW.
  - iii. When ZTL observes that ZJX13 LOW has accepted the handoff, ZTL will transfer communications directly to ZJX13 LOW.
  - iv. If ZJX13 LOW does not accept the handoff by the ZJX50 HIGH border, ZTL will transfer communications to ZJX50 HIGH.


#### 7. ATTACHMENTS:

- a. Delegation of Airspace
- b. Route Restrictions
  - i. General Altitude Assignment
  - ii. Aircraft Within/Overflying ZJX
  - iii. Aircraft Within/Overflying ZTL
  - iv. ZTL Departures
  - v. ZJX Departures
  - vi. CLT ATCT Arrivals
  - vii. CLT ATCT Departures
- c. Sectorization

#### ATTACHMENT A - DELEGATION OF AIRSPACE







# ATTACHMENT B - ROUTE RESTRICTIONS

# $\overline{ZTL} \to \overline{ZJX} \ \overline{ZJX} \to \overline{ZTL} \ \overline{ZJX} \to \overline{CLT} \ \overline{CLT} \to \overline{ZJX}$

Departure Airport	Arrival Airport	Overflight	Qualifier	Aircraft Type	Altitude Restriction	Route Required	Special						
	General Altitude Assignment												
			V115		Southbound Even Northbound Odd								
			V579		Southbound Odd Northbound Even								
			AOB FL230 on Q77		Southbound Even Northbound Odd								
			Entering/exiting ZJX66/51 to/from ZTL32/34/33/28		$ZTL \rightarrow ZJX$ : Even								
			Entering/exiting ZJX50/51		$ZJX \rightarrow ZTL$ : Odd								
			Entering/exiting ZJX66/51		$ZTL \rightarrow ZJX$ : Odd								
			to/from ZTL20/23		$ZJX \rightarrow ZTL$ : Even								
			Entering ZJX33 and AOA FL240 on Q81		Odd								

Departure Airport	Arrival Airport	Overflight	Qualifier	Aircraft Type	Altitude Restriction	Route Required	Special					
	Aircraft Within/Overflying ZJX											
				RNAV		HOBTT# GNDLF#	1. To the extent possible ZJX will use HOBTT# when ATL					
	ATL		Over and west of ZPLEN	Non-RNAV	AOB FL340  ZJX departures west of  KTLH:  AOB FL270	LGC#	is west and GNDLF# when east  2. ZTL has control for descent to FL240 within 10NM of boundary 3. ZJX releases control for speed within 10NM of boundary within same stratum					
ABY				Turboprops			May be cleared MCN SINCA DCT					
		Over and east of ZPLEN	RNAV	From ZJX50: West: AOB FL350 East: AOB FL370 ↓ FL350 From ZJX66: AOB FL360	JJEDI# <i>or</i> SITTH#	1. To the extent possible ZJX will use JJEDI# when ATL is landing west and SITTH# when east						
	ATL		Non-RNAV		DBN SINCA DCT or IRQ SINCA DCT	<ul><li>2. ZJX releases control for speed within 10NM of boundary within same stratum</li><li>3. When ZTL ultra high/high</li></ul>						
				Turboprops	West of V35 to east of V267: AOB FL200		is split refer to prearranged coordination					
	PDK RYY LZU		Over and west of DAWWN	Jets Turboprops	AOB FL340 or ZJX departures west of KTLH: AOB FL270	KEEPS BOKRT# or LGC DIFFI#	Into ZTL10 jets released for speed control and descent to FL240 within 10NM of boundary					

			East of DAWWN	Jets	AOB FL350  AOB FL230 via NOKIE or WOGOM	WRGNZ STAR  If unable: MCN,	1. Between DBOLT and SHRLT may go direct WRGNZ 2. ZJX releases speed control
				Turboprops	AOB FL230	DBN, or IRQ DCT	within 10NM of boundary within same stratum
			Over and west of OTK	Jets	AOB FL340 or  ZJX departures west of  KTLH: AOB FL270	Routed over or west of DAWWN and via KEEPS.BOKRT#	Entering ZTL10 aircraft released for speed control and descent to FL240 within 10NM of boundary
	FTY		Non-jet	AOB FL230	or LGC.DIFFI#		
	FII	East of OTK	Jets	AOB FL350  AOB FL230 via NOKIE or WOGOM	WRGNZ STAR  If unable: MCN, DBN, or IRQ DCT	<ol> <li>Between DBOLT and SHRLT may go direct WRGNZ</li> <li>ZJX releases speed control within 10NM of boundary</li> </ol>	
				Turboprops	AOB FL230	DBN, or INQ DC I	within same stratum
		Over and west of DAWWN	Jets	From ZJX34/ZJX11: AOB FL340 ZJX departures west of KTLH: AOB FL270	KEEPS.BOKRT# or LGC.DIFFI#	Entering ZTL10 aircraft released for speed control and descent to FL240 within	
	MGE VPC CNI PUJ D73 GVL			Turboprops Props	AOB FL230		10NM of boundary
	FFC CTJ		East of DAWWN	Jets	From ZJX50: AOB FL350 From ZJX34: AOB FL350	WRGNZ STAR  or if unable: MCN,  DBN, or IRQ DCT  GVL routed via:	Aircraft released for speed within 10NM of the boundary in same stratum
				Non-jet	AOB FL230	AHN.GVL	iii same suatum
	AUO		Between V97 and V7		AOB FL230		

AVL	From ZJX50 to ZTL20/23		TWINS DCT	
ВНМ	From ZJX34	AOB FL340		
CSG LSF	Between V97 and V7	AOB FL230 ↓ 110		
GSP GMU SPA GYH	Between V37 and north edge of V325	↓ 120  or requested altitude if lower (RAFDOF)		
НКҮ	AOA FL240	at FL240	East of BUBBA cleared via DCT CLT BZM DCT	
MCN WRB	Between V154 and V97	AOB FL230 ↓ 110		Coordinate military high altitude approaches with ZTL
MGM MXF	West of V168	AOB FL230 ↓ 110		
ROA LYH PSK BCB	From ZJX66/ZJX51	AOB FL330		
SVH	Over or east of BUBBA		KABEE#	

Departure Airport	Arrival Airport	Overflight	Qualifier	Aircraft Type	Altitude Restriction	Route Required	Special						
	Aircraft Within/Overflying ZTL												
	ABY				↓ 110								
	SFB DAB		Estados ZIV50		Cross boundary AOB FL340								
	LEE ORL		Entering ZJX50		Cross boundary AOB FL360	KYLEG TTHOR#							
	DHN OZR				↓ 110								
	ЕСР		West of HONID		AOB FL240								
	JAX		Will enter ZJX50	RNAV Jets	From ZTL20: FINNE AOB FL260 From ZTL22: DUCHY AOB FL240	FINNE/DUCHY OHDEA#	When ZJX high/low is split refer to prearranged						
	JAX CRG VQQ NIP				From ZTL20: AOB FL260 From ZTL22: AOB FL240	AMG#	coordination						
	JAX			RNAV Jets		ZOOSS MARQO#							
	JAX CRG		Will enter ZJX33/13			ZOOSS TAY							
	VQQ NIP					ZOOSS DCT							

-							
	MCO ISM		From ZTL32/34	RNAV Jets	QUIWE Q93 GIPPL Q85 LPERD SNFLD# <i>or</i> GTOUT#		To the extent possible ZTL will use SNFLD# when MCO is landing north and GTOUT# when south
			or From ZTL28 west of		QUIWE Q93 GIPPL Q85		
	MLB		ZTL32/33 boundary		LPERD OMN BITHO#		
	ORL				QUIWE Q93 GIPPL Q85 LPERD TTHOR#		
	MCO ISM ORL	M	Will enter ZJX33	RNAV Jets	JAFAR# or GRNCH# or SHREK#		
	OKL				OTK LEESE#		
	MYR		ZTL28/32/33/34		East of CLT climb shelf: AOB FL270 or		Aircraft east of CLT climb shelf AOB FL270 are ZJX
					Others: AOB FL310		control for descent
			AOA FL240 from HONID west to TOI		AOB FL260 ↓ FL240	DCT CEW PENSI	
	PNS NPA		AOA FL240 from TOI west		@ FL240	DCI CEW PENSI	
			AOB FL230 from TOI west	Turboprop	AOB 160		
	NPA		AOA FL220 over INBRD				may be cleared direct INBRD
	SAV SVN HXD		From ZTL20 south of IRQ or from ZTL24		Cross LOTTS @ 110  or via FIBRO:	LOTTS SAV DCT or FIBRO FLYNT PLZZZ DCT	

			AOB FL230 ↓ FL190		
	From ZTL32/34  or From ZTL28 west of ZTL32/33 boundary		AOB FL300	CANTR PLZZZ DCT	
	From ZTL33  or From ZTL28 east of ZTL32/33 boundary  or From ZTL20 north of IRQ		AOB FL340	(CTF) CANTR PLZZZ DCT	
SGJ FHB	Enter ZJX50		DCT AMG DCT		
SGUTTIE	Enter ZJX33		From ZTL20: AOB FL260	ZOOSS TAY DCT	
SSI BQK	Enter ZJX50		AOB FL240	AMG DCT	
TLH	From ZTL22/10		AOB FL270 ↓ FL240		
VPS HRT	AOB FL240 from HONID west to TOI		AOB FL260 ↓ FL240	DCT CEW	
DTS CEW	AOA FL240 from TOI west		@ FL240	DCTCEW	
VPS HRT DTS CEW	AOB FL230 from TOI west	Turboprop	AOB 160		Must be below any PNS or NPA arrivals

	RDU				AOB FL330		
ATL	RDC				AOB FL290 RAFDOF		
			Over or through ZTL20 and on OSPRI#		AOB FL270		
			Over or through ZTL20		Cross 20NM west DEOLIE		ZJX has control for descent
			and on BAGGY# or is non-RNAV		Cross 30NM west DEQUE AOB FL270 ↓ FL250		to FL240
			Over or through ZTL32/34		Cross WBODY AOB FL280		
			Over or through ZTL33		AOB FL280		ZJX has control for descent FL240
	CHS JZI		- South of GRD	RNAV		IRQ OSPRI# or DBN DEQUE BAGGY#	
				Non-RNAV		IRQ DCT or DBN LOTTS DCT	
			North of GRD to west of	RNAV		DEFFN OSPRI#	
			CAE-CLT line	Non-RNAV		DCT destination	CLT TRACON departures are
			East of CAE-CLT line	RNAV		OBNEE OSPRI#	excluded
			Luct vi Child CD1 mid	Non-RNAV		DCT destination	
CLT				RNAV		UNJAM OSPRI#	
	CAE CDN		Over and west of CLT		AOB 170 ↓ 110		

CUB	from ZTL31		
	From ZTL24	Cross 35NM from CAE	
	From CLT	@ 110	
	From east of CLT	Cross 55NM from CAE @ 110	
SSC MMT		AOB FL230	

Departure Airport	Arrival Airport	Overflight	Qualifier	Aircraft Type	Altitude Restriction	Route Required	Special					
	ZTL Departures											
ATL PDK FTY MGE RYY			South departures		↑ requested altitude (RAFDOF)							
			South departures entering ZJX50		↑ requested altitude (even)							
	DAB SFB		South departures entering ZJX50		↑ FL320 or requested if lower (even)							
	FLO SAV HXD JZI CHS				AOB FL230							


CLT			↑ FL230 or requested if lower (RAFDOF)	<ol> <li>Aircraft must be on appropriate SIDs</li> <li>Aircraft on SIDs released to ZJX for speed increase</li> <li>Note: turboprops/props go direct CLT TRACON → ZJX</li> </ol>
CSG LSF AUO MGM MCN WRB			↑ FL230 or requested if lower (RAFDOF)	

Departure Airport	Arrival Airport	Overflight	Qualifier	Aircraft Type	Altitude Restriction	Route Required	Special				
	ZJX Departures										
ABY DHN OZR					↑ FL230 or requested if lower (RAFDOF)						
CAE			Transitioning ZTL31		↑ 160 or requested if lower (RAFDOF)	direct GRD	ZTL31 has control for climb/turns				
CDN			Not transitioning ZTL31		↑ FL230 or requested if lower (RAFDOF)						
CAE	CLT						Relased to ZTL for turns left 30 degrees or less or right no further than CAE340R				


Departure Airport	Arrival Airport	Overflight	Qualifier	Aircraft Type	Altitude Restriction	Route Required	Special					
CLT ATCT Arrivals												
				Jets	Descend via	STOCR#	<ol> <li>ZJX shall state CLT landing direction</li> <li>CLT has control for speed increase</li> <li>In a north operation,</li> <li>MLLET jets are released to CLT for descent</li> </ol>					
					North operation: MLLET @ 120/250KT	MLLET#						
					South operation: MLLET @ 140/250KT							
	CLT				North operation: RASLN @ 110/250KT							
					South operation: RASLN @ 140/250KT	RASLN#	4. In a south operation, RASLN turboprops are released to CLT for descent					
				Turboprops	North op: RASLN @ 080 South op: RASLN @ 100							
	SVH JQF RUQ VUJ			Jets	KABEE @ 150 Jets: 250KT	KABEE#	Released for descent and turns to the right					
				Turboprops	CTF @ 150 Jets: 250KT	CTF DCT						
			Landing CLT satellites other than SVH/JQF/RUQ/VUJ	Jets	RASLN @ 110/250KT	DACIN#						
				Turboprops	RASLN @ 080	RASLN#						
			Landing KCLT/CLT satellites	Props	TCP @ 040 or 060	CTF DCT						

Departure Airport	Arrival Airport	Overflight	Qualifier	Aircraft Type	Altitude Restriction	Route Required	Special				
CLT ATCT Departures											
			Requesting 110-160	Jets	† 120/140/160 280KTS or less	Appropriate SID	1. Jets requesting higher than 160 shall be handed off to				
			Requesting 110 and above	Turboprops Props	↑ 120		Atlanta Center  2. ZJX has control to delete speed restriction on aircraft assigned a SID within CLT airspace				

# ATTACHMENT C - SECTORIZATION ATTACHMENT C1 - UTLRA HIGH (FL350+)



# ATTACHMENT C2 - HIGH STRATUM (FL240-FL340)



## ATTACHMENT C3 - LOW STRATUM (VAR-FL230)

